Note Vers MSc

Telecharger Isadora https://troikatronix.com/get-it/

LANCER ISADORA ET OUVRIR FICHIER "NOTE MIDI VERS MSC"

ALLER DANS COMMUNICATIONS MIDI SETUP



CHOISIR INPUT PORT "ISADORA VIRTUAL IN" ET OUTPUT PORTS "ISADORA VIRTUAL OUT"



Note Vers MSc

LANCER LIVE

ALLER DANS PREFERENCES

CHOISIR OUTPUT PORT "ISADORA VIRTUAL IN"

🔹 Live F	Richler Edition Créer Al	fichage Opti	ons Aide		■ ※ Ns !! + □ D * 1	🖓 83 N 💼 - Mar. 143	14 Célio Mén	and ગ્ 🤮) == _
0.0.0		_	_		Sans titre				_
Link - Tep 13	0.00 BI IB 4 / 4 04 - 18w		*• L.	Roll and	Protects		× 8.	Key MOL 01	5 D-
Charoline (Co		s webs	a Millor B	Number of Street	UM	A Reverts	8 Delay	Master	
Colectore	Non a		-	Auto	Artichar is bouton Link Artichar			P 1	_0
 Favoria 	* CAralag		-	104	Bymohres die diemarrages arreite			· 1	-
Contractory	- Conser			MD	MOI			1 A	
13 2000	+ Contraction			fis .	Burface do controller Debies Burton			P 8	
22 Batteries	It Calennal Instrument	-	-	Folder	a from a from a from a from				
O Instruments	* 🗖 impulse		-	Library	Accus • Accus • Accus • Turns				-
-94 Effets audio	 Instrument Rack 	-	-	Paging	Actual Actual Actual Comp				_
ET CINA MOI	Copendar				B Ann. * Ann. * Ann. * (Sum)				
C Max for Los	• Clampter			Warp	Made de republica (Aurora				
(C) (Sec.	- Charles			Laurah					
Tel bergins	- Constant			Dearses	MD forts Pairs Spin Test.				
				Maintamance	# Input: TouchCOC Bridge Of Of Of				•1
Places		At to	* Al 14 * D	A SHA	in input: leaders Writed Out Of Of OV				
CF Packs		E An Channels	· I At Instants · ·	1	* Output: Sectormains INC (Mus 13 011 011 011 011				
A BRIVENERS	1	IN ALL OF	IN ANY OF	LAN	* Output: destionnaire HC (Bus HC D Orr Orr Orr			Over Dvil.	
C Projet actual		andor Tax	The Parlow of Mark	alla Ta	Output: Explores Mills (Explores Part 13 04 04 04 04 04 04 04 04 04 04 04 04 04	Audio To	Auto Te	110	•
LAJ ADADECHIDADE	2				* Output: Explores MOI Explores Part 20 OF OF OF		_	4.5.2	
				0	* Output: Exphania Milli (Exphania Parti 4) 014 014 014	(Sanda	(Bends	tend	
				V2.1	* Output: VMul 3 Orr Orr Orr	× 0	140	1 m 🛌	
		<u> </u>	-		# Output: VMid 3 QH QH QH				
					* Output VMd 5 OF OF OF				2 o I
				Ō	 Datast Testhold Bridge Off Off Off 	() (¹)	0 -	0	-
				H	* Output: Inadora Virtual In Dr. Co. Co.	- 10	- 24		н 🎴
			-				· · ·		H 91
0		1 H I					1.00	3	28
					Digeser is un instrument au échant/flan				
C Servegeres	et supertation and disactivity. 🔿							1.4	0

METTRE LA PISTE MIDI DESIRE SUR OUTPUT ISADORA VIRTUAL IN

INSERER DES NOTES MIDI (C#2 EST LA NOTE 1 ETC JUSQU'A 127 DLIGHT NE PREND PAS DE NOTE 0

	//							1			
• • •									Sans titre		
Link Tao	120.00 011 100	4/4 00	1 Bar -			251 . 4		+ -	+ C 0	3. 1	. 1
										_	-
										нw	
1.1	1		. 17	. 21	. 36	. 28					
						-	Set				
				_		_	00 0 0				
							I MIDI	All los 🔻	1 5		
								All Channe			
								In the Unit			
								I Ch. 1 *			
						_	2 MIDI	All ins T	2 5	0	
							0	All Channe			
								In Auto Off			
								No Output 🔻			
							3 Audio	Ext. In 💌	3 5		
								1 *	0	C	
								In Auto Off	inf inf	_ 11	
								Master •		_ 11	
				_	_		C A Audio	Entrie a			
							(+ Audio	Ext. in •			
								In Auto Off	-inf [-inf]	<u> </u>	
								Master *		_ 11	
										_ 11	
		Discussialis	s cline at pária	hádauna							
		Deposez ici ie	s caps et penp	nenques							
											2
							A Reverb		A S	Post	2
							B Delay		8 5	Post	
						1/1	Master	II 1/2 •	0	0	9
0.00	0:10	*0:20	0:30	10:40	°0:50						

Note Vers MSc

LANCER DLIGHT

ALLER DANS SETUP I/O ONGLET MIDI

CHOISIR INPUT PORT "ISADORA VIRTUAL OUT" ET VERIFIER QUE DEVICE ID EST EN 1 ET QUE BOUND MSC LOAD MESSAGE TO EST SUR "CUE",

🔹 DLig	ght File Edit Display Device Utility Li	cense							B	I 🛆 📢 💷 🤇	0 🖬 🛆 💲 1	≈ ∞ ∞ □	Mer. 14:5	6 Célio Mé	inard Q 🔕 😑
•••	SetUp In/Out											Pad			
Bypas	s level's anchor mechanism	٠	M.	80	T∞	1 1 1	S∞	FF	0	< 11	Black	D::Lignt is in Sep. 22, 2021 OSC->port 70 Sep. 22, 2021	02:35:07 00 (Listen) 02:35:07		Key MIDI 0% D
use Vi	rtual Submaster for incoming Channel's levels				• /	•	•	-		GO	Freeze	USB connecti Sep. 22, 2021 Midi Input :	on closed 02:35:20		s travaillez dans Live:
No.	Name	Available								00:18:14	Park	Isadora Virtua	lOut		
8	VMidi 2													4	
9	VMidi 3				/					L					
10	VMidi 4				/					JOYSTICK					_
11	TouchOSC Bridge			1							Record	Balance	Θ	Refresh	
12	isadora virtuai Out								/	50					
Outour	t (send)								1						es presets, grooves
Inhib >	(Fade levels output	•	1%		6 <u>17</u>	18 0	19 0	20 0		CORNE	Update	0	Thru	All	ta preseta, grooves
No	Name	Available	Ō	Ō) Õ	Õ	õ	õ		SCENE	forceDec #				
1	Gestionnaire IAC Bus 1	Available							1		TOICED 00 🕸	7	Q	٩	
2	Gestionnaire IAC Bus IAC 2		35	3	6 37	38	39	40		FF			0	3	
3	Euphonix MIDI Euphonix Port 1		/ 0	0	0	0	ö	Ö	¥		use Ctrl for options				
4	Euphonix MIDI Euphonix Port 2										Recall 🕷				
5	Euphonix MIDI Euphonix Port 3		55	5	6 57	58	59	60	<			4	5	6	
			0	0	0	0	0	0		ALLSUB	use Ctrl for options				
MIDI Sw	itch quantity	10 🔽	75	7	6 77	78	0 79	80	>	FF	Sample	1	2	3	
Midi P	atch	/	0	0	0	0	0	0	_		campie				
• one o	can use CMD+M as shortcut			0) ()	0	0	0							
	Edit >				•	•		⊖ uM∞	rM∞	FLASH	Step >	СН	0	Clear	
Midi S	how Control		н.	- F	LASH	FLAS	н								
MIDI S	how Control (Device ID)		E E I S	PA not	USE E KILL S	PAUS		< Pg	1 >	FF	Cue >				
Bound	MSC LOAD message to	Cue 🔽			0	0		€ Bk	1 >						1 P
								(**	•	MASTER	C	less c	Curren	Clana	
Midi Ti	imeCode										Group >	inv	Swap	Cione	
	can use CMD+V as shortnut				9	10		KI	L	66					
- one c	Patra S					10				FF					
	Edit >										Midi 1 >	-%	5	+%	
Inhib N	MidiTimeCode		1000					1/	32						
							_	-							No. of Concession, Name
				1.21				1-MIDI							

CHAQUE NOTE MIDI ENVOYEE DANS LIVE LANCERA LA CUE AU NUMERO ASSOCIEE